

according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alkohol-Tupfer

UFI:

P8JM-ASM4-7G0J-C9NN

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	AMPri Handelsgesellschaft mbH	
Street:	Benzstraße 16	
Place:	D-21423 Winsen (Luhe)	
Telephone:	+49-4171-8480-0	Telefax:+49-4171-8480-190
e-mail:	info@ampri.de	
Internet:	www.ampri.de	
1.4. Emergency telephone	+49-(0)551-19240	
number:	GIZ Nord, 24 h	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

propan-2-ol; isopropyl alcohol; isopropanol

Danger

Signal word:

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P501	Dispose container at an authorized waste disposal company.

2.3. Other hazards

No information available.



according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

Page 2 of 10

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	200-661-7 603-117-00-0					
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
67-63-0	200-661-7 propan-2-ol; isopropyl alcohol; isopropanol			
	inhalation: LC	50 = 47,5 mg/l (vapours); dermal: LD50 = 12800 mg/kg; oral: LD50 = 5280 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If victim is at risk of losing consciousness, position and transport on their side. Seek medical attention if symptoms occur or persist.

After contact with skin

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of troubles or persistent symptoms consult doctor.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration!

4.2. Most important symptoms and effects, both acute and delayed

Signs of eye or skin irritation: burning, redness, swelling. Overexposure may cause drowsiness, tiredness, dizziness, headache, and possibly loss of consciousness.

Practical experience/human evidence: Large quantities: Inhalation causes narcotic effects/intoxication. The product is skin resorptive. Irritation of mucous skin. Has degreasing effect on the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Extinguishing powder. Atomized water. alcohol resistant foam. Sand. earth.

Unsuitable extinguishing media

High power water jet.



according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

Page 3 of 10

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide. In case of fire in the surroundings the formation of dangerous gases/vapour is possible too. Vapours are heavier than air and will spread at floor level. Reignition possible over considerable distance. In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Keep use of water under control with respect to possible contamination of environment. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8. Provide adequate ventilation. Avoid: Eye contact. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Personal protection equipment: see section 8

Avoid contact with eyes. When using do not eat, drink or smoke. Remove contaminated, saturated clothing immediately.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Provide adequate ventilation. Take precautionary measures against static discharges. Use only in well-ventilated areas.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container. Keep container tightly closed. Keep in a cool, well-ventilated place. storage temperature: < 40°C

Hints on joint storage

Keep away from: Oxidizing agents, strong. Keep away from food, drink and animal feedingstuffs.



according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

Page 4 of 10

Further information on storage conditions

Protect from direct sunlight.

7.3. Specific end use(s)

In case of special use, contact supplier.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

DNEL/DMEL and PNEC values: No data available

8.2. Exposure controls

Appropriate engineering controls

Safe handling: see section 7

Individual protection measures, such as personal protective equipment

Eye/face protection

No special protection at recommended use.

Hand protection

not applicable

Skin protection

In case of recommended use no special protection required.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Repiratory protection is required in case of exceeding exposure limit values. Combination filtering device Filter type: A (colour: brown)

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Gel colourless like: Alcohol	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		~82 °C
boiling range:		
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		2 vol. %
Upper explosion limits:		14 vol. %
Flash point:		12 °C
Auto-ignition temperature:		> 425 °C
Decomposition temperature:		not determined



according to Regulation (EC) No 1907/2006

Alkohol-Tupfer		
Revision date: 23.06.2023		Page 5 of 10
pH-Value:	not applicable	
Viscosity / kinematic:	not determined	
Water solubility:	miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	43 hPa	
(at 20 °C)		
Density (at 20 °C):	0,79 g/cm ³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
Vapours may form explosive mixtures with air.		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
Viscosity / dynamic:	not determined	
Further Information		
The information relates to the liquid with which the wipes are soaked.		

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Vapours may form explosive mixtures with air.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



Page 6 of 10

according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

CAS No	Chemical name							
	Exposure route Dose Species Source Method							
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol							
	oral LD50 5280 mg/kg			Rat				
	dermal	LD50 mg/kg	12800	Rabbit				
	inhalation vapour	LC50	47,5 mg/l	Rat				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

see section 12

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 mg/l	> 1000		Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 mg/l	13299	48 h	Daphnia magna		

12.2. Persistence and degradability

The single components are biodegradable.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

<u>12.4. Mobility in soil</u>

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties



according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

Page 7 of 10

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Recycling, if possible.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	
Hazard label:	4.1
Classification code:	F1
Special Provisions:	216 274 601
Limited quantity:	1 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	40
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl
	alcohol; isopropanol)
<u>14.3. Transport hazard class(es):</u>	4.1
14.4. Packing group:	II
Hazard label:	4.1



according to Regulation (EC) No 1907/2006

10

	Alkohol-Tupfer	
Revision date: 23.06.2023		Page 8 of 10
Classification code: Special Provisions: Limited quantity: Excepted quantity:	F1 216 274 601 800 1 kg E2	
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-o alcohol; isopropanol)	l; isopropyl
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group: Hazard label:	4.1 II 4.1	
Special Provisions: Limited quantity: Excepted quantity: EmS:	216, 274 1 kg E2 F-A, S-I	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-2-o alcohol; isopropanol)	l; isopropyl
14.3. Transport hazard class(es):	4.1	
<u>14.4. Packing group:</u> Hazard label:	ll 4.1	
Special Provisions:	A46	
Limited quantity Passenger:	5 kg Y441	
Passenger LQ: Excepted quantity:	E2	
IATA-packing instructions - Passenger:	445	
IATA-max. quantity - Passenger:	15 kg	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	448 50 kg	
14.5. Environmental hazards	30 kg	
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No information available.		
14.7. Maritime transport in bulk accordin not applicable	g to IMO instruments	
Other applicable information		
Due to the small amount of liquid a c of the respective special provision ar ADR - SV 216	omplete exception from transport regulations is possible, in case the e fulfilled:	conditions

RID - SV 216 ADN - SV 216 IMDG - SV 216 IATA - A46



Page 9 of 10

according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

National regulatory information	
2004/42/EC (VOC):	70%
2010/75/EU (VOC):	70%
Entry 3, Entry 40	

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

section 3, 15

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product



according to Regulation (EC) No 1907/2006

Alkohol-Tupfer

Revision date: 23.06.2023

Page 10 of 10

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)